

# ST1100P Addendum

---

## How to Use This Manual

This addendum contains information for ST1100P. Refer to ST1100/ST1100A SHOP MANUAL (No. 61MY311) for service procedures and data not included in this addendum.



**ALL INFORMATION, ILLUSTRATIONS, DIRECTIONS AND SPECIFICATIONS INCLUDED IN THIS PUBLICATION ARE BASED ON THE LATEST PRODUCT INFORMATION AVAILABLE AT THE TIME OF APPROVAL FOR PRINTING. Honda Motor Co., Ltd. RESERVES THE RIGHT TO MAKE CHANGES AT ANY TIME WITHOUT NOTICE AND WITHOUT INCURRING ANY OBLIGATION WHATEVER. NO PART OF THIS PUBLICATION MAY BE REPRODUCED WITHOUT WRITTEN PERMISSION. THIS MANUAL IS WRITTEN FOR PERSONS WHO HAVE ACQUIRED BASIC KNOWLEDGE OF MAINTENANCE ON Honda MOTORCYCLES, MOTOR SCOOTERS OR ATVS.**

Honda Motor Co., Ltd.  
SERVICE PUBLICATION OFFICE

## Contents


Model Identification .....	1
Specification .....	2
Cable & Harness Routing .....	13
Emission Control Information Labels .....	20
Seat .....	21
Upper Seat Cowling .....	21
Seat Cowling .....	22
Saddlebag Stay/Amplifier Stay .....	22
Fairing Pocket .....	23
Instrument Panel .....	24
Rearview Mirror .....	25
Headlight Aim .....	25
Lights/Meters/Switches Location .....	26
Rear Turn Signal and Brake/Taillight .....	27
Voltmeter .....	27
Wiring Diagram .....	29

# Model Identification




## (1) VEHICLE IDENTIFICATION NUMBER

The Vehicle Identification Number (VIN) is located on the Safety Certification Label on the left side of the steering head.




## (2) ENGINE SERIAL NUMBER

The engine serial number is stamped on the rear of the lower crankcase behind the oil pan.




## (3) FRAME SERIAL NUMBER

The frame serial number is stamped on the right side of the steering head.



## (4) CARBURETOR IDENTIFICATION NUMBER

The carburetor identification number is stamped on each carburetor body on the intake side.



## (5) COLOR LABEL

The color label is attached to the frame under the seat.

# Specifications

Unit: mm (in)

General	Item	Specifications	
Dimensions	Overall length	2,285 (90.0)	
	Overall width	835 (32.9)	
	Overall height	1,405 (55.3)	
	Wheelbase	1,555 (61.2)	
	Seat height	800 (31.5)	
	Footpeg height	309 (12.1)	
	Ground clearance	145 (5.7)	
	Dry weight (with saddle bag)	297 kg (655 lb)	
	Curb weight (with saddle bag)	326 kg (719 lb)	
	Maximum weight capacity	175 kg (386 lb)	
Frame	Frame type	Double cradle	
	Front suspension	Telescopic fork	
	Front wheel travel	150 (5.9)	
	Rear suspension	Swingarm	
	Rear wheel travel	120 (4.7)	
	Front tire size	110/80-18M/C 58V	
	Rear tire size	160/70-17M/C 73V	
	Tire brand (Bridgestone)	FR/RR	G547/G548
	Tire brand (Dunlop)	FR/RR	—
	Tire brand (Metzeler)	FR/RR	—
	Front brake		Hydraulic double disc
	Rear brake		Hydraulic single disc
	Caster angle		27° 30'
	Trail length		101 (4.0)
	Fuel tank capacity		28 liters (7.40 US gal, 6.16 Imp gal)
	Fuel tank reserve capacity	—	